



OREGON STATE UNIVERSITY

104 Ocean Admin Building • Corvallis, Oregon 97331-5503

Telephone 541-737-3504 Fax 541-737-2064

April 24, 1998


Dr. Lou Goodman
Office of Naval Research, ONR Code 322 PO
800 N Quincy St BCT #1
Arlington VA 22217-5660


ONR Grant # N00014-92-J1348
OSU # N0054A

Dear Dr. Goodman:

In order to complete my ONR grant entitled "Mapping Jets and Eddies in an Eastern Boundary Current", I am sending three copies of the *Final Technical Report* to you with copies distributed as indicated below, along with a completed *Report Documentation Page (SF 298)*.

Sincerely,


Adriana Huyer
OSU PI



Enclosures

Defense Technical Information Center (2)
8725 John J. Kingman Rd, Suite 0944
Ft Belvoir VA 22060-6218

Administrative Contracting Officer (1)
Office of Naval Research
Seattle Regional Office
1107 NE 45th St, suite 350
Seattle, WA 98105-4631

Director, Naval Research Laboratory (1)
Attn: Code 2627
Washington DC 20375

DTIC QUALITY INSPECTED 4

FINAL TECHNICAL REPORT
ONR GRANT # N00014-92J1348

Adriana Huyer, P. Michael Kosro, Jack A. Barth, Robert L. Smith
Mapping Jets and Eddies in an Eastern Boundary Current

In the summer of 1993, we made two high-resolution surveys of the California Current using both an Acoustic Doppler Current Profiler and a towed SEASOAR to study the evolving eddy/jet field. Each large survey of the jet/eddy field was followed by more detailed surveys of selected mesoscale features, including an offshore-migrating cyclonic eddy, a counter-rotating eddy pair, and an inshore anticyclonic eddy. Our surveys show clearly that eastern boundary currents are not "broad, weak equatorward flows", but instead are sites of intense interactions between jets, eddies, coastal currents, and the continental margin.

A surface-intensified baroclinic jet was the dominant feature during both large-area surveys. In June this jet was remarkably simple with only one gentle meander at about 38.2 N but by August the jet had developed intense meanders, and part of the jet lay 200 km farther offshore. Cyclonic and anticyclonic eddies were present during both surveys. Anticyclonic eddies often have subsurface cores, with core waters similar to those in the California Undercurrent, and seem to originate along the continental margin.

The ageostrophic component of the currents was estimated from the difference between absolute streamfunctions (calculated from ADCP data) and the dynamic topography (calculated from the Seasoar CTD data). The near-surface ageostrophic flow was westward in the surface layers during both surveys, consistent with wind-driven offshore Ekman transport. Hodographs of the cruise-averaged data show that the ageostrophic component of the near-surface current lay to the right of the wind, and decreased with depth. The penetration depth of the ageostrophic flow was shallower during the cruise with weaker winds.

The dynamics of one cyclonic eddy was examined in detail. Geostrophic velocities in this eddy had maximum speeds of ~ 50 cm/s, and the overall range of the relative vorticity of was $-0.8f$ to $1.0f$, where f is the local Coriolis parameter. At the 100m level, the relative vorticity ranged from $-0.2f$ to $0.5f$, and the estimates of the vertical velocity range from -30 to 30 m/day, amounting to net water-parcel displacements over periods of a few days to be ~ 50 m; these are sufficient to move waters into and out of the euphotic zone, and thus are likely to affect the primary productivity.

LIST OF PUBLICATIONS

Ashjian, C. L., S. L. Smith, C. N. Flagg, P. M. Kosro and T. J. Cowles, 1998. Horizontal, vertical and temporal patterns in mesoscale distribution of zooplankton biomass in the California Current during June and August, 1993, using an acoustic Doppler Current Profiler. *Deep-Sea Res. II*, submitted.

19980505 068

- Barth, J. A. 1997. Coastal ocean circulation off Oregon: Recent observations of spatial and temporal variability. In: *Estuarine and Ocean Survival of Northeastern Pacific Salmon: Proceedings of the Workshop*, edited by R. L. Emmett and M. H. Schiewe, pp 57-68, U. S. Dep. Commer. NOAA Tech. Memo. NMFS-NWFSC-29.
- Barth, J. A., S. D. Pierce and R. L. Smith, 1998: A separating coastal upwelling jet at Cape Blanco, Oregon and its connection to the California Current System. *Deep-Sea Res. II*, in press.
- Huyer, A., J. A. Barth, P. M. Kosro, R. L. Smith and R. K. Shearman, 1998: Upper-ocean water mass characteristics of the California Current. *Deep-Sea Res. II*, in press.
- Kosro, P. M., J. A. Barth, J. Fleischbein, A. Huyer, R. O'Malley, R. K. Shearman and R. L. Smith, 1995. *SeaSoar and CTD observations during EBC cruises W9306A and W9308B June to September 1993*. Coll. Ocean. Atmos. Sci., Ore. State Univ., Data Rep. 160, Ref. 95-2, 393 pp.
- Kosro, P. M., J. A. Barth and P. T. Strub, 1997: The coastal jet: Observations of surface currents over the Oregon continental shelf from HF radar. *Oceanography*, **10**, 53-56.
- Pierce, S. D., J. A. Barth and R. L. Smith, 1998: Improving ADCP accuracy with WADGPS and adaptive smoothing of ship velocity. *J. Atmos. Oceanic Technol.*, submitted.
- Shearman, R. K., J. A. Barth and P. M. Kosro, 1998. Diagnosis of the three-dimensional circulation associated with mesoscale motion in the California Current. *J. Phys. Oceanogr.*, in press.
- Smith, R.L. 1995. The Physical Processes of Coastal Upwelling Systems. In: *Upwelling in the Ocean: Modern Processes and Ancient Records*, edited by C. P. Summerhayes, K.-C. Emeis, M. V. Angel, R. L. Smith and B. Zeitschel. John Wiley and Sons, p. 39-64.
- Wood, A. M., N. D. Sherry, and A. Huyer. 1996. Mixing of chlorophyll from the Middle Atlantic Bight cold pool into the Gulf Stream at Cape Hatteras in July 1993. *J. Geophys. Res.*, **101**, 20,579-20,595.

Abstracts:

- Huyer, A., J. A. Barth, P. M. Kosro and R. L. Smith. 1994. Surveys of the California Current: Large-Scale Coverage with Mesoscale Resolution. Abstract only. *EOS, Trans. Amer. Geophys. Union*, **75**(3), Supplement, 140.
- Huyer, A., J.A. Barth, P.M. Kosro, R.L. Smith and R. K. Shearman. 1996. Isopycnal Analysis of California Current Surveys. Transactions, Amer. Geophys. Union, *EOS, Trans. Amer. Geophys. Union*, **77**(3), Ocean Sciences Meet. Suppl., OS131.

- Huyer, A., J. A. Barth, P. M. Kosro, R. L. Smith and R. K. Shearman, 1996. Isopycnal analysis of California Current surveys. *Transactions, Amer. Geophys. Union, EOS, Trans. Amer. Geophys. Union*, **77**(3), Ocean Sciences Meet. Suppl., OS131.
- Huyer, A., R.L. Smith, P.M. Kosro, J. A. Barth. A new view of the California Current, *EOS, Trans. Amer. Geophys. Union*, **77**(46), Fall Meeting Suppl., F368.
- Kosro, P.M., A. Huyer, R.L. Smith, J.A. Barth, S.D. Pierce, P.T. Strub, S.R. Ramp, Studies of the California Current and Undercurrent, Benguela Dynamics Symposium, University of Cape Town, South Africa, November 1996.
- Kosro, P. M., R. L. Smith, J. A. Barth and P. T. Strub, 1996. Observations of energetic internal tidal bores at midshelf off Oregon. *Transactions, Amer. Geophys. Union, Trans. Amer. Geophys. Union, EOS*, **77**(3), Ocean Sciences Meet. Suppl., OS83.
- Kosro, P.M., J.A. Barth, P.T. Strub, S. O'Keefe, Tests of Two Coastal Circulation Radar Systems off Southern Oregon, *Trans. Amer. Geophys., EOS, Union*, **77** (46), Fall Meeting Suppl., F385.
- Pierce, S. D., J. A. Barth and P. M. Kosro, 1996. Applications of inexpensive Wide Area Differential GPS navigation. *Trans. Amer. Geophys. Union, EOS*, **77**(3), Ocean Sciences Meet. Suppl., OS100.
- Pierce, S.D., J. A. Barth, P.M. Kosro, R.L. Smith, C.D. Wilson, 1996. Extensive observations of the poleward undercurrent along the continental margin off of California, Oregon and Washington, *Trans. Amer. Geophys. Union, EOS*, **77**(3), Ocean Sciences Meet. Suppl., OS131.
- Shearman, R. K., J. A. Barth, and P.M. Kosro. 1996. Diagnosis of Three- Dimensional Circulation: Results from the Eastern Boundary Current Program. *Trans. Amer. Geophys. Union, EOS*, **77**(3), Ocean Sciences Meet. Suppl., OS131.
- Shearman, R. K., J. A. Barth and P. M. Kosro, 1996. Diagnosis of three-dimensional circulation: Results from the Eastern Boundary Current program. *Transactions, Amer. Geophys. Union, EOS*, **77**(3), Ocean Sciences Meet. Suppl., OS131.
- Smith, R. L., J. A. Barth, A. Huyer, P. M. Kosro and S. D. Pierce, 1996. Alongshore advection in coastal upwelling regions: The continuity of the equatorward surface jet and the poleward undercurrent. *In Proceedings of The Oceanography Society Scientific Meeting, July, 1996, Amsterdam, The Netherlands*, 78.
- Smith, R. L., S. D. Pierce, J. A. Barth, P. M. Kosro and C. D. Wilson, 1996: Extensive observations of the poleward undercurrent along the continental margin off California, Oregon and Washington. *Trans. Amer. Geophys. Union, EOS*, **77**(3), Ocean Sciences Meet. Suppl., OS131.

- Thomas, A. C., D. Fissel and J. A. Barth, 1996: Eastern boundary current dynamics as features in satellite SAR imagery. *Trans. Amer. Geophys. Union, EOS, 77(3)*, Ocean Sciences Meet. Suppl., OS198.
- VanGeen, A., R. Takesue, J. Goddard, T. Takahashi, L. Verhegge, T. McEvoy, J. A. Barth and R. L. Smith, 1996: Distribution of upwelling tracers in the California Current from the beach to the continental slope. *Trans. Amer. Geophys. Union, EOS, 77(3)*, Ocean Sciences Meet. Suppl., OS131.
- Wilson, T. C., J. A. Barth, S. D. Pierce, P. M. Kosro and B. W. Waldorf, 1996: A Lagrangian drifter with inexpensive Wide Area Differential GPS positioning. *Proceedings of the Marine Technology Society Oceans96 Meeting*, September 1996, Ft. Lauderdale, Florida USA.

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE 24 Apr 1998	3. REPORT TYPE AND DATES COVERED final	
4. TITLE AND SUBTITLE Mapping Jets and Eddies in an Eastern Boundary Current			5. FUNDING NUMBERS N00014-92J1348	
6. AUTHOR(S) Adriana Huyer, P. Michael Kosro, Jack A. Barth, Robert L. Smith				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) College of Oceanic & Atmospheric Sciences Oregon State University 104 Ocean Admin Bldg Corvallis, OR 97331-5503			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) This report summarizes results of two large-area, high resolution Seasoar/ADCP surveys of the California Current. We conclude that this is a region of intense interactions between jets, eddies, coastal currents and the continental margin.				
14. SUBJECT TERMS			15. NUMBER OF PAGES 4	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT unclassified	20. LIMITATION OF ABSTRACT	